

1. 動物疾病防治

1. Prevention and Treatment of Animals' Diseases

單位：頭

Unit : head

年次及地區別	牛 Cattle					豬				
	焦蟲病 Piroplasmosis			結核病 Tuberculosis		預防注射 Vaccination	豬 瘟 Hog Cholera			
	患畜 Infected	死亡 Died	恢復 Recovered	患畜 Infected	撲殺 Incinerated		患畜 Infected	死亡 Died	撲殺 Incinerated	
民國 96 年	-	-	-	206	206	18 230 189	-	-	-	
97	-	-	-	132	132	14 056 507	-	-	-	
* 98	10	3	7	246	246	12 802 992	-	-	-	
99	-	-	-	207	207	14 567 806	-	-	-	
100	-	-	-	138	138	15 368 230	-	-	-	
101	-	-	-	211	211	16 493 774	-	-	-	
102	-	-	-	164	164	15 943 658	-	-	-	
103	-	-	-	194	194	15 594 703	-	-	-	
104	-	-	-	70	70	14 938 632	-	-	-	
105	-	-	-	29	29	15 039 586	-	-	-	
新 北 市	-	-	-	-	-	98 403	-	-	-	
臺 北 市	-	-	-	-	-	1 492	-	-	-	
桃 園 市	-	-	-	-	-	301 432	-	-	-	
臺 中 市	-	-	-	4	4	260 368	-	-	-	
臺 南 市	-	-	-	-	-	1 805 531	-	-	-	
高 雄 市	-	-	-	-	-	818 258	-	-	-	
宜 蘭 縣	-	-	-	-	-	154 948	-	-	-	
新 竹 縣	-	-	-	-	-	211 569	-	-	-	
苗 栗 縣	-	-	-	-	-	179 792	-	-	-	
彰 化 縣	-	-	-	-	-	2 013 230	-	-	-	
南 投 縣	-	-	-	-	-	257 723	-	-	-	
雲 林 縣	-	-	-	8	8	3 901 708	-	-	-	
嘉 義 縣	-	-	-	15	15	1 155 939	-	-	-	
屏 東 縣	-	-	-	-	-	3 427 955	-	-	-	
臺 東 縣	-	-	-	-	-	142 877	-	-	-	
花 蓮 縣	-	-	-	-	-	237 215	-	-	-	
澎 湖 縣	-	-	-	-	-	10 408	-	-	-	
基 隆 市	-	-	-	-	-	2 602	-	-	-	
新 竹 市	-	-	-	2	2	22 986	-	-	-	
嘉 義 市	-	-	-	-	-	6 947	-	-	-	
金 門 縣	-	-	-	-	-	27 783	-	-	-	
連 江 縣	-	-	-	-	-	420	-	-	-	

資料來源：行政院農業委員會動植物防疫檢疫局。

Hogs								Year, District
豬 流 行 性 肺 炎 Swine Enzootic Pneumonia				豬 丹 毒 Swine Erysipelas				
患畜 Infected	死亡 Died	撲殺 Incinerated	恢復 Recovered	患畜 Infected	死亡 Died	撲殺 Incinerated	恢復 Recovered	
37	-	11	26	-	-	-	-	2007
25	25	-	-	-	-	-	-	2008
-	-	-	-	37	20	-	17	* 2009
-	-	-	-	15	15	-	-	2010
40	30	-	10	807	116	-	-	2011
-	10	-	-	44	177	-	-	2012
26	6	-	-	437	75	-	232	2013
-	-	-	-	33	23	-	10	2014
-	-	-	-	-	-	-	-	2015
260	-	20	240	-	-	-	-	2016
-	-	-	-	-	-	-	-	New Taipei City
-	-	-	-	-	-	-	-	Taipei City
-	-	-	-	-	-	-	-	Taoyuan City
-	-	-	-	-	-	-	-	Taichung City
20	-	20	-	-	-	-	-	Tainan City
-	-	-	-	-	-	-	-	Kaohsiung City
-	-	-	-	-	-	-	-	Yilan County
-	-	-	-	-	-	-	-	Hsinchu County
-	-	-	-	-	-	-	-	Miaoli County
-	-	-	-	-	-	-	-	Changhua County
-	-	-	-	-	-	-	-	Nantou County
40	-	-	40	-	-	-	-	Yunlin County
-	-	-	-	-	-	-	-	Chiayi County
200	-	-	200	-	-	-	-	Pingtung County
-	-	-	-	-	-	-	-	Taitung County
-	-	-	-	-	-	-	-	Hualien County
-	-	-	-	-	-	-	-	Penghu County
-	-	-	-	-	-	-	-	Keelung City
-	-	-	-	-	-	-	-	Hsinchu City
-	-	-	-	-	-	-	-	Chiayi City
-	-	-	-	-	-	-	-	Kinmen County
-	-	-	-	-	-	-	-	Lianjiang County

Source : Bureau of Animal and Plant Health Inspection and Quarantine, COA, Executive Yuan.

1. 動物疾病防治(續1)

單位：頭

年次及地區別	豬							
	口蹄疫 Foot and mouth disease				放線桿菌胸膜肺炎 Actinobacillus Pleuropneumonia			
	預防注射 Vaccination	患畜 Infected	死亡 Died	撲殺 Incinerated	患畜 Infected	死亡 Died	撲殺 Incinerated	恢復 Recovered
民國 96 年	16 202 241	-	-	-	237	-	8	229
97	6 226 895	-	-	-	1 495	33	1	1 461
* 98	3 387 406	-	-	-	-	-	-	-
99	8 232 290	136	-	169	2 258	43	-	2 215
100	9 001 280	1 215	-	2 021	10	-	-	-
101	9 219 625	795	-	1 248	-	28	-	-
102	8 299 654	26	-	-	27	3	-	8
103	7 952 787	-	-	-	4	4	-	-
104	7 991 547	-	-	-	20	5	-	15
105	8 182 882	-	-	-	-	-	-	-
新 北 市	84 691	-	-	-	-	-	-	-
臺 北 市	1 561	-	-	-	-	-	-	-
桃 園 市	214 065	-	-	-	-	-	-	-
臺 中 市	171 260	-	-	-	-	-	-	-
臺 南 市	911 753	-	-	-	-	-	-	-
高 雄 市	459 429	-	-	-	-	-	-	-
宜 蘭 縣	79 720	-	-	-	-	-	-	-
新 竹 縣	72 223	-	-	-	-	-	-	-
苗 栗 縣	85 965	-	-	-	-	-	-	-
彰 化 縣	1 306 523	-	-	-	-	-	-	-
南 投 縣	111 263	-	-	-	-	-	-	-
雲 林 縣	2 359 826	-	-	-	-	-	-	-
嘉 義 縣	587 880	-	-	-	-	-	-	-
屏 東 縣	1 462 820	-	-	-	-	-	-	-
臺 東 縣	84 443	-	-	-	-	-	-	-
花 蓮 縣	135 073	-	-	-	-	-	-	-
澎 湖 縣	6 576	-	-	-	-	-	-	-
基 隆 市	651	-	-	-	-	-	-	-
新 竹 市	13 831	-	-	-	-	-	-	-
嘉 義 市	4 280	-	-	-	-	-	-	-
金 門 縣	28 519	-	-	-	-	-	-	-
連 江 縣	530	-	-	-	-	-	-	-

1. Prevention and Treatment of Animals' Diseases (Cont'd)

Unit : head

Hogs									Year, District
巴氏桿菌病 Pasteurellosis				假性狂犬病 Pseudorabies					
患畜 Infected	死亡 Died	撲殺 Incinerated	恢復 Recovered	預防注射 Vaccination	患畜 Infected	死亡 Died	撲殺 Incinerated	恢復 Recovered	
184	40	90	54	113 315	16	-	16	-	2007
32	11	-	21	215 233	150	118	2	30	2008
574	301	-	273	192 348	-	-	-	-	* 2009
127	17	2	108	115 913	-	-	-	-	2010
383	264	-	-	232 129	-	-	-	-	2011
68	40	-	-	223 153	-	-	-	-	2012
606	12	-	-	344 841	-	-	-	-	2013
-	-	-	-	66 644	-	-	-	-	2014
-	-	-	-	293 196	-	-	-	-	2015
20	5	3	12	246 406	-	-	-	-	2016
-	-	-	-	1 880	-	-	-	-	New Taipei City
-	-	-	-	-	-	-	-	-	Taipei City
-	-	-	-	-	-	-	-	-	Taoyuan City
-	-	-	-	4 550	-	-	-	-	Taichung City
10	-	3	7	114 452	-	-	-	-	Tainan City
-	-	-	-	58 240	-	-	-	-	Kaohsiung City
-	-	-	-	4 500	-	-	-	-	Yilan County
-	-	-	-	-	-	-	-	-	Hsinchu County
-	-	-	-	8 000	-	-	-	-	Miaoli County
-	-	-	-	2 937	-	-	-	-	Changhua County
-	-	-	-	22 690	-	-	-	-	Nantou County
-	-	-	-	-	-	-	-	-	Yunlin County
-	-	-	-	-	-	-	-	-	Chiayi County
10	5	-	5	-	-	-	-	-	Pingtung County
-	-	-	-	8 126	-	-	-	-	Taitung County
-	-	-	-	20 499	-	-	-	-	Hualien County
-	-	-	-	62	-	-	-	-	Penghu County
-	-	-	-	91	-	-	-	-	Keelung City
-	-	-	-	-	-	-	-	-	Hsinchu City
-	-	-	-	379	-	-	-	-	Chiayi City
-	-	-	-	-	-	-	-	-	Kinmen County
-	-	-	-	-	-	-	-	-	Lianjiang County

1. 動物疾病防治(續2)

1. Prevention and Treatment of Animals' Diseases (Cont'd)

單位：頭

Unit : head

年次及地區別	豬							
	豬赤痢				沙氏桿菌病			
	Swine Dysentery				Salmonellosis			
	患畜	死亡	撲殺	恢復	患畜	死亡	撲殺	恢復
Infected	Died	Incinerated	Recovered	Infected	Died	Incinerated	Recovered	
民國 96 年	42	-	-	42	1 254	19	132	1 103
97	1	-	-	1	1 785	580	4	1 201
* 98	55	13	-	42	1 718	417	-	1 301
99	21	1	-	20	372	6	5	361
100	61	5	-	-	387	291	-	-
101	-	-	-	-	61	35	-	-
102	602	10	-	320	15	15	-	-
103	-	-	-	-	20	10	-	10
104	30	-	-	30	-	-	-	-
105	1 685	200	-	1 485	1	-	-	1
新 北 市	-	-	-	-	-	-	-	-
臺 北 市	-	-	-	-	-	-	-	-
桃 園 市	-	-	-	-	-	-	-	-
臺 中 市	-	-	-	-	-	-	-	-
臺 南 市	680	-	-	680	1	-	-	1
高 雄 市	-	-	-	-	-	-	-	-
宜 蘭 縣	-	-	-	-	-	-	-	-
新 竹 縣	-	-	-	-	-	-	-	-
苗 栗 縣	-	-	-	-	-	-	-	-
彰 化 縣	1 000	200	-	800	-	-	-	-
南 投 縣	-	-	-	-	-	-	-	-
雲 林 縣	5	-	-	5	-	-	-	-
嘉 義 縣	-	-	-	-	-	-	-	-
屏 東 縣	-	-	-	-	-	-	-	-
臺 東 縣	-	-	-	-	-	-	-	-
花 蓮 縣	-	-	-	-	-	-	-	-
澎 湖 縣	-	-	-	-	-	-	-	-
基 隆 市	-	-	-	-	-	-	-	-
新 竹 市	-	-	-	-	-	-	-	-
嘉 義 市	-	-	-	-	-	-	-	-
金 門 縣	-	-	-	-	-	-	-	-
連 江 縣	-	-	-	-	-	-	-	-

Hogs								Year, District
傳染性胃腸炎				弓蟲病				
Transmissible Gastroenteritis				Toxoplasmosis				
患畜	死亡	撲殺	恢復	患畜	死亡	撲殺	恢復	
Infected	Died	Incinerated	Recovered	Infected	Died	Incinerated	Recovered	
-	-	-	-	-	-	-	-	2007
-	-	-	-	-	-	-	-	2008
-	-	-	-	-	-	-	-	* 2009
-	-	-	-	-	-	-	-	2010
-	-	-	-	-	-	-	-	2011
-	-	-	-	-	-	-	-	2012
-	-	-	-	-	-	-	-	2013
-	-	-	-	-	-	-	-	2014
-	-	-	-	-	-	-	-	2015
-	-	-	-	-	-	-	-	2016
-	-	-	-	-	-	-	-	New Taipei City
-	-	-	-	-	-	-	-	Taipei City
-	-	-	-	-	-	-	-	Taoyuan City
-	-	-	-	-	-	-	-	Taichung City
-	-	-	-	-	-	-	-	Tainan City
-	-	-	-	-	-	-	-	Kaohsiung City
-	-	-	-	-	-	-	-	Yilan County
-	-	-	-	-	-	-	-	Hsinchu County
-	-	-	-	-	-	-	-	Miaoli County
-	-	-	-	-	-	-	-	Changhua County
-	-	-	-	-	-	-	-	Nantou County
-	-	-	-	-	-	-	-	Yunlin County
-	-	-	-	-	-	-	-	Chiayi County
-	-	-	-	-	-	-	-	Pingtung County
-	-	-	-	-	-	-	-	Taitung County
-	-	-	-	-	-	-	-	Hualien County
-	-	-	-	-	-	-	-	Penghu County
-	-	-	-	-	-	-	-	Keelung City
-	-	-	-	-	-	-	-	Hsinchu City
-	-	-	-	-	-	-	-	Chiayi City
-	-	-	-	-	-	-	-	Kinmen County
-	-	-	-	-	-	-	-	Lianjiang County

1. 動物疾病防治(續完)

1. Prevention and Treatment of Animals' Diseases (Cont'd)

單位：頭

Unit : head

年次及地區別	家 禽							
	家 禽 霍 亂 Fowl Cholera				新 城 病 New Castle Disease			
	患 畜 Infected	死 亡 Died	撲 殺 Incinerated	恢 復 Recovered	患 畜 Infected	死 亡 Died	撲 殺 Incinerated	恢 復 Recovered
民國 96 年	-	-	-	-	20 000	-	55 246	-
97	503	-	480	23	-	-	-	
* 98	800	-	-	800	2 400	1 000	1 400	
99	-	-	-	-	-	-	-	
100	-	-	-	-	-	-	-	
101	-	100	-	-	2 000	1 900	17	
102	-	-	-	-	-	-	-	
103	1 251	1 251	-	-	-	-	-	
104	-	-	-	-	-	-	-	
105	-	-	-	-	-	-	-	
新 北 市	-	-	-	-	-	-	-	
臺 北 市	-	-	-	-	-	-	-	
桃 園 市	-	-	-	-	-	-	-	
臺 中 市	-	-	-	-	-	-	-	
臺 南 市	-	-	-	-	-	-	-	
高 雄 市	-	-	-	-	-	-	-	
宜 蘭 縣	-	-	-	-	-	-	-	
新 竹 縣	-	-	-	-	-	-	-	
苗 栗 縣	-	-	-	-	-	-	-	
彰 化 縣	-	-	-	-	-	-	-	
南 投 縣	-	-	-	-	-	-	-	
雲 林 縣	-	-	-	-	-	-	-	
嘉 義 縣	-	-	-	-	-	-	-	
屏 東 縣	-	-	-	-	-	-	-	
臺 東 縣	-	-	-	-	-	-	-	
花 蓮 縣	-	-	-	-	-	-	-	
澎 湖 縣	-	-	-	-	-	-	-	
基 隆 市	-	-	-	-	-	-	-	
新 竹 市	-	-	-	-	-	-	-	
嘉 義 市	-	-	-	-	-	-	-	
金 門 縣	-	-	-	-	-	-	-	
連 江 縣	-	-	-	-	-	-	-	

Year, District	Poultry							
	傳 染 性 華 氏 囊 病 Infectious Bursal Disease				雛 白 痢 Pullorum Disease			
	患 畜 Infected	死 亡 Died	撲 殺 Incinerated	恢 復 Recovered	患 畜 Infected	死 亡 Died	撲 殺 Incinerated	恢 復 Recovered
2007	65	30	20	15	50	-	120	
2008	431	360	-	71	240	240	-	
* 2009	278	36	-	242	-	-	-	
2010	-	-	-	-	-	-	-	
2011	-	10	-	-	-	200	-	
2012	50	30	-	-	-	-	-	
2013	-	-	-	-	-	-	-	
2014	-	-	-	-	25	25	-	
2015	-	-	-	-	180	-	-	
2016	-	-	-	-	-	-	-	
New Taipei City	-	-	-	-	-	-	-	
Taipei City	-	-	-	-	-	-	-	
Taoyuan City	-	-	-	-	-	-	-	
Taichung City	-	-	-	-	-	-	-	
Tainan City	-	-	-	-	-	-	-	
Kaohsiung City	-	-	-	-	-	-	-	
Yilan County	-	-	-	-	-	-	-	
Hsinchu County	-	-	-	-	-	-	-	
Miaoli County	-	-	-	-	-	-	-	
Changhua County	-	-	-	-	-	-	-	
Nantou County	-	-	-	-	-	-	-	
Yunlin County	-	-	-	-	-	-	-	
Chiayi County	-	-	-	-	-	-	-	
Pingtung County	-	-	-	-	-	-	-	
Taitung County	-	-	-	-	-	-	-	
Hualien County	-	-	-	-	-	-	-	
Penghu County	-	-	-	-	-	-	-	
Keelung City	-	-	-	-	-	-	-	
Hsinchu City	-	-	-	-	-	-	-	
Chiayi City	-	-	-	-	-	-	-	
Kinmen County	-	-	-	-	-	-	-	
Lianjiang County	-	-	-	-	-	-	-	